

Risks of Dental Amalgam: What You Should Know!

Risk Classification Under Medical Device Rules, 2017 Class B
(Low to Moderate Risk)



Potential Risks

- Mercury Release
- Allergic Reactions
- Tooth Sensitivity
- Cracking or Breakdown

Precautions to be Taken

- Monitor for sensitivity
- Regular dental check-ups
- Take extra precautions in pregnancy, pre-existing renal conditions & in metal allergies

Tips for Taking Care of Your Fillings

- Avoid Hard or Sticky Foods
- Maintain good oral hygiene
- Avoid Grinding Your Teeth
- Use a Non-Abrasive Toothpaste
- Be Careful with Hot and Cold
- Monitor Your Fillings for Changes



INDIAN PHARMACOPOEIA COMMISSION

National Coordination Centre, MATERIOVIGILANCE PROGRAMME OF INDIA, MINISTRY OF HEALTH & FAMILY WELFARE, GOVT. OF INDIA
Sector-23, Raj Nagar, Ghaziabad-201002
Email: lab.ipc@gov.in shatrunjay.ipc@gov.in Website: www.ipc.gov.in

Any adverse event associated with these devices can be reported via following tools:-



HELPLINE
1800 180 3024

Available from: Monday to Friday
(9:00 AM to 5:30 PM)



MDAE REPORTING FORM

Available on: www.ipc.gov.in



MDAE MONITORING CENTRES

List Available on: www.ipc.gov.in



Adverse Drug Reactions Monitoring System

<https://adrmsipc.in/adrms/index.html>